

SCHOOL NO. 4401 – KATANDRA WEST

Policy Statement: **MANAGEMENT - 765 Head Lice**

765 - HEAD LICE

Responsibility: Principal

This Policy was last ratified by School Council in September, 2019.

1. PURPOSE:

In order to respond to reports of head lice quickly and effectively, we shall ensure that an efficient process for treating head lice is well known and consistently followed. Parents and Guardians are to be well informed about head lice treatment.

2. GUIDELINES:

- 2.1 Anyone can catch head lice.
- 2.2 Head lice cannot fly, hop or jump. They spread from person to person by head to head contact, and by the sharing of personal items such as combs, brushes and head gear such as hats.
- 2.3 While it is Parents who have the primary responsibility of the detection and treatment of head lice on their children, the school will assist by offering up-to-date information, by offering a screening process, and by alerting Parents of children with head lice when detected.
- 2.4 The school will organise to have some volunteer Personnel, trained by the DET Services in the detection of head lice.
- 2.5 The school will ask Parents to sign a permission form allowing their children to be screened by our trained personnel for the presence of head lice.
- 2.6 All children screened will be provided with a confidential report indicating to Parents the results of the screening.
- 2.7 Consistent with Health (Infectious Diseases) Regulations 2001 the Principal will ensure that the Parents of any child found to have live lice are informed as soon as possible that their child is to be excluded from attending school until the day after the appropriate treatment has commenced. If eggs are present Parents will be informed.
- 2.8 The Principal will also provide Parents of children found to have live lice with information about head lice treatment and prevention.
- 2.9 The Principal will ensure that information relating to the prevention and eradication of head lice appears throughout the year in the School Newsletter, particularly at times of heavy outbreaks.
- 2.10 The Principal, in consultation with School Council, will be able to vary this Policy if circumstances require it.

A management plan has been implemented incorporating the following arrangements.

1. Clear protocols will be outlined to parents annually (and with new enrolments) and written permission obtained from parents on the enrolment form and annual 'collection of information' form to enable inspections to be carried out.
2. Where there is deemed to be a need a whole school head lice check will be carried out by two teams of parents. Parent volunteers will be trained specifically in detection and management of head lice, with an emphasis on confidentiality and the sensitive nature of dealing with students identified as having head lice. The Principal will oversee this process.
3. Children identified as having head lice or evidence of eggs will receive a note to inform their parents of the need for treatment. All students will receive a note informing parents that an inspection has been carried out. Where parents have not consented to a head lice check, a note will be sent home to ask that they carry out the appropriate check themselves and report back their findings to the Principal.

Head lice

Scratching for Answers?

health

Frequently asked questions

Where do head lice come from?

Head lice have been around for thousands of years. As with any insect, they learn to adapt to their environment in order to survive. We are never going to be completely rid of them, but we can make managing them easier.

Do head lice fly or jump?

Head lice do not have wings so they cannot fly. They can't jump because they do not have 'knees'.

So how do head lice move around?

Head lice crawl very fast and require head to head contact for transmission. It is possible that because of the way young children play, head lice are seen more widely amongst primary school children than adolescents or adults.

Can head lice spread disease?

No. Head lice cannot transmit or pass disease on to people.

Who is responsible for checking and treating head lice?

Like similar health conditions such as scabies, and ringworm, it is a parent or guardian's responsibility to treat and care for their child.

Do head lice live in carpets, clothes, hats or sheets?

No. Head lice very rarely fall from the head. They require blood to survive. Head lice feed three to four times a day and without blood, will dehydrate in six hours in a dry climate and 24 hours in a humid climate.

An egg requires warmth to hatch and is the reason why they are laid close to the scalp. The further away from the scalp, the less likely they are to survive.

Is it true that head lice only like clean hair?

No. Head lice are not selective. They don't care if hair is long, short, blonde, brown, washed this morning or last week. As long as they are warm, and have blood to drink, then they are content.

What treatment kills 100% of head lice or eggs?

There is no single treatment that kills 100% of head lice or eggs. Whichever treatment you choose it can take time and persistence to get rid of head lice. Use a method that will not risk the health of your child.

Is there a way to prevent head lice?

No. It's important to check your child's head regularly with conditioner and comb even when you don't think your child has head lice. There is no research to prove that chemical or herbal therapies can prevent head lice.

How does the conditioner and comb method work?

It's a very cheap and effective way of finding head lice. Hair conditioner does not kill lice, but it does stun them for about 20 minutes, meaning they do not move around, and it is difficult for them to hang on. This gives you time to comb through the hair with a fine tooth (head lice) comb.

How does a chemical treatment work?

Only use products that are licensed or registered for head lice. There are four different active chemicals that target head lice, each works differently and aims to kill lice and/or eggs.

Do some products work better than others?

Over time, head lice may develop resistance to some chemicals. It is important to check if a treatment you used has worked, and if not, treat again with another product that has a different chemical in it.

Why do you have to treat again in seven days time?

Head lice eggs take six to seven days to hatch. And when you treat, it's easy to miss an egg or two. By treating again in seven days, you are aiming to kill and comb out any head lice that have since hatched from eggs, which were missed.

Should I treat everyone in the family?

It is important to check each family member, using conditioner and comb, for head lice but only treat those with live lice.

What should I wash or treat at home?

As head lice only live for a short time off the head, the only extra cleaning needed is to wash the pillowslip on the hot cycle or place in clothes dryer. Head lice combs can be cleaned in water hotter than 60 degrees.

Why does my child keep getting re-infected?

Re-infection is the least likely reason for head lice returning in a week's time. If eggs do not die, or were not removed during the original treatment they may hatch and the lifecycle starts all over again. To break this lifecycle you must re-treat (regardless of treatment method) seven days after the first treatment and continue with weekly checking.

Does my child have to miss school?

According to the Public Health and Wellbeing Regulations 2009, children with head lice can be readmitted to school after head lice treatment has commenced. A certificate from a doctor or council is not required before your child goes back to school. Head lice are not the fault of schools, other families or children.



www.health.vic.gov.au/headlice

Information and photograph used are courtesy of Assoc Professor Rick Speare and the team of researchers at the School of Public Health, James Cook University, Queensland.

Helpful hints

- Using the conditioner and comb method *every week* is the best way to detect head lice early and minimise the problem.
- Tying back hair can help prevent the spread of head lice.
- Many parents will complain that they are doing the right thing but other parents aren't. Placing the blame will not achieve anything. Instead of pointing the finger, help each other.
- A school with a head lice education program and policy in line with *Scratching for Answers?* is a proactive school attempting to help families address a common health concern.
- The department's head lice management strategy is supported by the Department of Education and Early Childhood Development.

Treatment choices

- Chemical: Treat and comb to remove the head lice and eggs; and repeat in seven days.
- Non-chemical: Use conditioner and comb to remove the head lice and eggs; and repeat every two days until no live lice have been found for 10 days.

